

**GOVERNMENT OF TELANGANA  
ABSTRACT**

Public Service – I&CAD Dept. – Irregularities noticed in works taken up under O&M grant in SRSP stage-1 during the years 2007-08, 2008-09 and 2009 -10– Inquiry against Sri B.D.V. Kumar, Chief Engineer(Retd.) and Fifty Nine (59) others- Inquiry under rule 20(2) of Andhra Pradesh Civil Services (CC&A) Rules, 1991 – Appointment of Sri R. Madhusudhana Rao, I/C Chief Engineer. Commissioner, Godavari Basin, Hyderabad as Inquiry Officer - Orders - Issued.

**IRRIGATION & C.A.D. (Vig.II(1)) DEPARTMENT**

**G.O.RT.No. 153.**

**Dated:09-09-2014.**

\* \* \*

**ORDER:**

Whereas, an inquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against the following officers:-

1	B.D.V. Kumar	CE(Retd.)
2	G.Prabhakar Reddy	SE (Rtd)
3	R.Dhananjaya	I/c.EE (Rtd)
4	A.Mahadev	I/c.DEE (Rtd)
5	E.Mallesha	I/c.DEE (Rtd)
6	K.R.Chander Rao	I/c.DEE
7	L.Ananth Reddy	I/c.DEE
8	S.Uday Bhasker	I/c.DEE
9	G.Srinivas	I/c.DEE
10	K.Radha Krishna	I/c.DEE
11	P.Balakrishna	AEE
12	G.M.Farooq	AE
13	B.Vijaya Bhasker	AE
14	Md.Ameen	AE
15	A.Bhojdas	AE
16	R.Sucharitha	AEE
17	V.Deveder	AEE
18	S.M.Shareef	AE
19	S.Bhaskar	E E
20	J.Shankar	Dy. E E
21	Md.Ikramuddin	A E
22	R.Dhanunjaya	Dy. EE

::2::

23	Lal Mohammad	Dy. EE
24	Jawarlal Chawda	Dy. EE
25	J.Ramprasad	AEE
26	A.Shravan Kumar	EE
27	K.Sudhakar	A/c.EE
28	G.Prasad	Dy. E E
29	T.Satish	AEE
30	Y.Krishna Reddy	AE
31	Siraj Ahmed Arif	EE
32	K.Ramulu	Dy. EE
33	M.Rajesham	Dy. EE
34	M.Vijay Kumar	Dy. EE
35	M.Venugopal	AEE
36	L.Bheemraj	AEE
37	Md.Ikramuddin	AE
38	B.Satyanarayana	S.E. (Rtd.)
39	B.Govind	I/c.E.E.
40	T.Srinivas	I/c.Dy.E.E.
41	B.Satyanarayana	A.E.E.
42	B.Seshagiri	I/c.Dy.E.E.
43	B.Rupla	I/c.Dy.E.E.
44	G.Veerabhadram	A.E.
45	V.Vidyasagar	A.E.
46	K.Mallikarjuna Prasad	I/c.Dy.E.E.
47	Ch.Tirupathi Rao	A.E.E.
48	Ch.Ravinder Reddy	A.E.
49	K.Venkateswarlu	I/c.Dy.E.E.
50	E.Sadaiah	A.E.E.
51	S.Ravi	A.E.E.
52	Smt. A.Vijayalaxmi	I/c.Dy.E.E.
53	R.Santhosh	A.E.E.
54	S.Neeraja	A.E.E.
55	Ch.Anjaiah	A.E.E.
56	M.Muralidhar Rao	E.E. (Rtd.)
57	B. Radhakrishna	Dy.EE
58	K. Mahandar Reddy	EE
59	U. Annam Naidu	DCE
60	S. Sathish Kumar	EE

::3::

2. And it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against the above said officers.

3. Now, therefore, in exercise of the powers conferred by sub-rule (2) of Rule-20 of the said rule, the disciplinary authority hereby appoints Sri R. Madhusudhana Rao, I/C Chief Engineer, Commissioner, Godavari Basin, Hyderabad as Inquiry Officer to inquire into the charges framed against the above said officers.

4. Copies of reports, charge memoranda and Written Statements of Defence submitted by the Charged Officers are herewith forwarded to the Inquiring Officer. The Presenting Officer will produce other original documents relating to the case before the Inquiry Officer. The Inquiry Officer is directed to complete the enquiry duly following the procedure laid down under rule 20 of APCSS(CCA) Rules, 1991 and submit his report within two months.

**(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)**

**SHAILENDRA KUMAR JOSHI  
PRINCIPAL SECRETARY TO GOVERNMENT**

To

Sri R. Madhusudhana Rao, I/C Chief Engineer, Commissioner, Godavari Basin, Hyderabad and Inquiry Officer **through** the Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad (w.e.)

Sri S. Narasimha Rao, I/C Superintending Engineer FFC Circle-I, Jagtial and Presenting Officer.

The individuals **through** the Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad.

The Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad.

Copy to SF/SC

**//FORWARDED : BY ORDER//**

**SECTION OFFICER**